

ROUND HILL SKI AREA PLANT LIST

Alastair Macdonald

As reported in the Canterbury Botanical Society Newsletter (January 2013 Issue 1/2), part of the Society Summer Camp was held in the area of the Round Hill Ski Field, Lake Tekapo. As there was no plant list for Round Hill members started making one of their own, which is shown below (dated 8 January 2013).

Psilopsids, lycopods & quillworts

Lycopodium fastigiatum mountain clubmoss

Ferns

Blechnum penna-marina alpine blechnum

Polystichum cystostegia

Gymnosperm trees and shrubs

* *Larix decidua* (*L. europaea*) larch

* *Pinus nigra* ssp. *nigra* Austrian pine

Dicotyledonous trees and shrubs

Acrothamnus colensoi (*Leucopogon*, *L. suaveolens*)

Brachyglottis cassinioides (*Senecio*)

Carmichaelia crassicaulis

Carmichaelia monroi

Carmichaelia vexillata

Coprosma atropurpurea wineberry coprosma

Coprosma cheesemanii sprawling coprosma

Coprosma dumosa

Coprosma petriei var.

Coprosma propinqua var. *propinqua* mingimingi

Discaria toumatou matagouri; wild Irishman

Dracophyllum pronum trailing grass tree

<i>Gaultheria depressa</i> var. <i>novae-zelandiae</i> (G. "novae-zelandiae")	mountain snowberry
<i>Haastia sinclairii</i> var. <i>sinclairii</i>	tufted haastia
<i>Hebe buchananii</i>	
<i>Hebe epacridea</i>	
<i>Hebe haastii</i> (Mount Cook form)	
<i>Hebe lycopodioides</i>	clubmoss whipcord
<i>Hebe pimeleoides</i> ssp. <i>pimeleoides</i>	
<i>Hebe pinguifolia</i>	dish-leafed hebe
<i>Hebe rakaiaensis</i>	
<i>Hebe subalpina</i>	
<i>Helichrysum depressum</i>	
<i>Leonohebe cheesemanii</i>	
<i>Melicytus alpinus</i> (<i>Hymenanthera alpina</i>)	porcupine shrub
<i>Myrsine nummularia</i>	creeping mapou; creeping matipo
<i>Ozothamnus vauvilliersii</i> agg (<i>Cassinia</i>)	mountain cottonwood
<i>Pentachondra pumila</i>	
<i>Pimelea prostrata</i> ssp. <i>prostrata</i>	
<i>Pimelea sericeovillosa</i>	Strathmore weed; pinatoro
<i>Pimelea traversii</i> ssp. <i>traversii</i>	
<i>Raoulia eximia</i>	common vegetable sheep

Dicotyledonous lianes and related trailing plants

<i>Muehlenbeckia axillaris</i>	creeping pohuehue
--------------------------------	-------------------

Daisy-like herbs

<i>Abrotanella caespitosa</i>	mossy daisy
* <i>Achillea millefolium</i>	yarrow
<i>Anaphalioides bellidioides</i> ss (<i>Anaphalis</i> , <i>Helichrysum</i>)	everlasting daisy
<i>Brachyglottis haastii</i> (<i>Senecio</i>)	Haast 's groundsels
<i>Brachyscome longiscapa</i>	
<i>Brachyscome sinclairii</i> ss	grassland daisy

<i>Celmisia "rhizomatous" (aff C. gracilentata)</i>	
<i>Celmisia angustifolia</i>	strap-leaved daisy
<i>Celmisia gracilentata</i> agg.	dainty daisy
<i>Celmisia haastii</i> var. <i>haastii</i>	snow daisy
<i>Celmisia lyallii</i>	false Spaniard
<i>Celmisia semicordata</i> ssp. <i>semicordata</i> var. (<i>C. coriacea</i> auct.)	tikitimu; silvery cotton plant
<i>Celmisia sessiliflora</i>	cushion daisy
<i>Cirsium arvense</i>	Californian thistle
<i>Craspedia incana</i>	
<i>Craspedia lanata</i> var. <i>lanata</i>	grey woollyhead
<i>Euchiton traversii</i> (<i>Gnaphalium</i>)	
* <i>Hieracium praealtum</i> ssp. <i>praealtum</i> (<i>Pilosella praealta</i>)	king devil
<i>Lagenifera petiolata</i>	papataniwhaniwha
<i>Leptinella atrata</i> ssp. <i>atrata</i> (<i>Cotula</i>)	black daisy
<i>Leptinella pectinata</i> ssp. <i>pectinata</i> (<i>Cotula</i>)	comb-leaved pincushion
<i>Leptinella pyrethrifolia</i> var. <i>pyrethrifolia</i> agg (<i>Cotula pyrethrifolia</i> var. <i>robusta</i>)	
* <i>Pilosella officinarum</i>	mouse-eared hawkweed
<i>Raoulia australis</i>	golden scabweed
<i>Raoulia grandiflora</i>	large-flowered mat daisy
<i>Raoulia hectorii</i> var. <i>hectorii</i>	
<i>Raoulia hookeri</i> var. <i>hookeri</i>	
<i>Raoulia tenuicaulis</i>	
<i>Raoulia youngii</i>	
<i>Senecio glaucophyllus</i> ssp. <i>discoideus</i> (<i>S. "discoideus"</i>)	scree groundsel
<i>Taraxacum magellanicum</i> agg (<i>T. zelandicum</i>)	native dandelion
<i>Vittadinia australis</i>	

Dicotyledonous herbs other than daisies

<i>Acaena caesiiglauca</i>	
<i>Acaena fissistipula</i>	

<i>Acaena inermis</i>	unspined bidibid
<i>Aciphylla aurea</i>	golden Spaniard
<i>Aciphylla dobsonii</i>	
<i>Aciphylla glaucescens</i>	
<i>Aciphylla montana</i> var. <i>montana</i>	western speargrass
<i>Aciphylla scott-thomsonii</i>	
<i>Aciphylla subflabellata</i>	
<i>Anisotome aromatica</i> ss (many varieties and forms)	kopoti
<i>Anisotome filifolia</i>	
<i>Anisotome flexuosa</i> (<i>Anisotome aromatica</i> var. <i>dissecta</i>)	
<i>Cardamine</i> "Scree Race" (of Pritchard 1957; <i>C. debilis</i> agg)	
<i>Cardamine bilobata</i> (<i>C.</i> "bog")	
* <i>Cerastium fontanum</i> ssp. <i>vulgare</i> (<i>C. vulgatum</i> ; <i>C. caespitosum</i>)	mouse-eared chickweed
<i>Chionohebe pulvinaris</i> (<i>Pygmaea</i>)	cushion plant
<i>Colobanthus acicularis</i>	
<i>Colobanthus apetalus</i>	tufted grass cushion
<i>Colobanthus brevisepalus</i>	
<i>Colobanthus strictus</i>	
<i>Coriaria</i> sp.	
<i>Epilobium angustum</i> (<i>Epilobium nerteroides</i> var.; <i>E. nummularifolium</i> var.)	
<i>Epilobium atriplicifolium</i> (<i>E. cockayneanum</i> , <i>E. novae-zelandiae</i>)	
<i>Epilobium brunnescens</i> ssp. <i>brunnescens</i> ss (<i>E. pedunculare</i> var.)	
<i>Epilobium macropus</i>	
<i>Epilobium melanocaulon</i> agg (<i>E. polyclonum</i>)	
<i>Epilobium porphyrium</i>	
<i>Epilobium pycnostachyum</i>	scree willow herb
<i>Epilobium tasmanicum</i>	

<i>Galium perpusillum</i> ss (<i>Asperula</i>)	bedstraw
<i>Geranium brevicaule</i>	
<i>Geranium microphyllum</i>	small-leaved crane's bill
<i>Gingidia decipiens</i> (<i>Angelica</i>)	
<i>Hydrocotyle hydrophila</i> (<i>H. tripartita</i> var. <i>hydrophila</i>)	
<i>Hydrocotyle novae-zeelandiae</i> var. <i>montana</i> ss (<i>H. "montana"</i>)	
<i>Hydrocotyle sulcata</i> (pp <i>H. tripartita</i>)	
* <i>Hypericum perforatum</i>	St. John's wort
<i>Kelleria dieffenbachii</i> (<i>Drapetes</i>)	
<i>Kelleria paludosa</i> (<i>K. "pseudolyallii"</i>)	
* <i>Linum catharticum</i>	purging flax
<i>Lobelia linnaeoides</i>	
<i>Lobelia roughii</i>	fleshy scree lobelia
<i>Montia campylostigma</i> (<i>Neopaxia</i>)	
<i>Montia erythrophylla</i> (<i>Neopaxia</i>)	
<i>Montia fontana</i> ssp. <i>fontana</i>	blinks
<i>Myosotis australis</i>	
* <i>Myosotis laxa</i> ssp. <i>caespitosa</i> (<i>M. subvernica</i>)	water forget-me-not
<i>Myosotis drucei</i>	
<i>Myosotis pygmaea</i>	
* <i>Navarretia squarrosa</i> (<i>Gilia</i>)	Californian stinkweed
<i>Notothlaspi rosulatum</i>	penwiper plant
<i>Parahebe decora</i>	
<i>Plantago udicola</i>	
<i>Psychrophila obtusa</i> (<i>Caltha</i>)	white caltha
<i>Ranunculus cheesemanii</i>	
<i>Ranunculus crythmifolius</i>	
<i>Ranunculus gracilipes</i> agg (<i>R. sinclairii</i>)	feathery-leaved buttercup
<i>Ranunculus haastii</i>	
<i>Ranunculus multiscapus</i> (<i>R. lappaceus</i> auct.)	grassland buttercup
* <i>Rumex acetosella</i>	sheep' sorrel

<i>Schizeilema haastii</i> var. <i>haastii</i>	false buttercup
<i>Scleranthus brockiei</i>	
<i>Scleranthus uniflorus</i>	mossy scabweed
* <i>Spergularia rubra</i> (<i>S. campestris</i> ; <i>Spergula</i>)	sand spurrey
<i>Stellaria gracilentia</i>	
* <i>Stellaria graminea</i>	stichwort
* <i>Trifolium repens</i>	white clover
<i>Viola cunninghamii</i>	white violet; haka
<i>Viola lyallii</i>	
<i>Wahlenbergia albomarginata</i> ssp. <i>albomarginata</i>	harebell

Sedges

<i>Carex coriacea</i>	
* <i>Carex leporina</i>	
<i>Carex muelleri</i>	
<i>Carex petriei</i>	
<i>Carex pyrenaica</i> var. <i>cephalotes</i>	
<i>Carex wakatipu</i>	
<i>Isolepis aucklandica</i> (<i>Scirpus</i>)	
<i>Oreobolus pectinatus</i>	comb sedge
<i>Schoenus pauciflorus</i>	sedge tussock
<i>Uncinia divaricata</i>	

Rushes and allied plants

<i>Juncus antarcticus</i>	
* <i>Juncus articulatus</i> (<i>J. lampocarpus</i>)	jointed rush
* <i>Juncus conglomeratus</i> (<i>J. subuliflorus</i>)	soft rush
* <i>Juncus effusus</i> var. <i>effusus</i> (<i>J. luxurians</i> ; <i>J. sarophorus</i> auct.)	soft rush
<i>Juncus novae-zelandiae</i>	
<i>Luzula banksiana</i> var. <i>migrata</i> (<i>L. migrata</i>)	
<i>Luzula crinita</i> var. <i>petrieana</i> (<i>L. "petrieana"</i>)	<i>corr</i>
<i>orth</i>	

Luzula leptophylla

Luzula pumila

Luzula rufa var. *rufa* ss

red woodrush

Luzula traversii var. *traversii* ss

Luzula ulophylla

Grasses

* *Agrostis capillaris* (*A. tenuis*)

browntop

Agrostis dyeri ss

upland browntop

Anthosachne solandri

blue wheatgrass, patiti,
taranui

* *Anthoxanthum odoratum*

sweet vernal

Chionochloa macra

slim snow tussock

Deschampsia tenella

hair grass

Festuca matthewsii ssp. *matthewsii*

upland hard tussock

* *Festuca rubra* ssp. *rubra*

chewing's fescue

Hierochloa redolens (*Holcus*)

sweet-scented holy grass

Koeleria cheesemaniae (*Trisetum*)

* *Poa annua*

annual poa

Poa buehneri (*P. sclerophylla*)

Poa cockayneana

avalanche grass

Poa colensoi agg (*P. colensoi* var. *guthrie-smithiana*)

blue tussock

Poa dipsacea (*P. cheesemaniae*)

Poa lindsayi

* *Poa pratensis*

Kentucky blue grass

Rytidosperma pumilum (*Erythranthera*; *Triodia*; *Atropis*)

Rytidosperma setifolium (*Notodanthonia*; *Danthonia semiannularis*)

bristle tussock

Trisetum youngii

Orchids

Prasophyllum colensoi

onion-leaved orchid